

I sɔl atins dʌeɔkoikoisɔnpuɔkoioɔptiɪr WHAH eətq

T PHEiPHAANDNL

FaiFI uar eiF ɔif ut h t aicəupit imnih t sɔu
t l l sul t dɪpsɪpl uskaidwuih ksəɔl ikgt ir suy
rwt al u.iPuiy t ' i ' v ' uAvuadeikɔidkiy t ɔəidwu
r suy ' ih u ' ' igksidwui kab ɔ əɔl ir suy .

Twui/Bih uddwui kab ɔ əɔl irt , d əɔl ikaidwui sɔpl u
y wusuiwuiy t ' i sɔgɪpikaidwui k, ust d əɔl ikaidwui
Ou' ' uət apidwuih əɔl vh i' t gɔeisuAvəsh uad
uj , ur dɪpikgɔl .iTwui/Biy t ' idkɔi akdki' d sɔt ae
y ksHvadɔt igvɔəpvr d əɔl ikaidwui pid Huai, ɔ r u.

Twui/Biy t ' i sɔgɪpikaidwui gɔsakkai eit ir kh , t ae
r suy ih uh usikgɔl wui BBx isuAvəsh uad igks
y ksHəɔl ikab kt sɔidwui Ou' ' uət apit ɔskvɔə
wt t sɔ' igksiy t əɔl it skvapidwui Ou' ' uoiTwui/Biy t '
dwuid Huaikaiwɔ ig h əɔl sɔt d əɔl ikaidwui skgɔl wui Ou' ' uo
gksəpvr d əɔl ikaidwui, vs k' u' .

vsəɔl idwɔiy t ɔHt skvapidwui/Bid' dwɔ igk d əɔl ikait
skl vui' dkauidwui' t gɔeiy t ɔHy t ei, vdkvɔdwɔ
wt apiki' dut peiwɔ ' uɔit apirt vl wdɔ igəɔl uskaidwui
h ɔpɔi' t gɔeist əɔl irt v' əɔl idki uapi t rHt ap
pɔkrt d.

switch completely.

On investigation it transpires that because the switch is made of Bakelite which is hard and also brittle, it is not possible to screw the screw down on to the switch with sufficient purchase to gain enough grip to secure the lockout equipment in place.

A solution to this problem is currently under investigation.

This type of Bakelite switch is common on a lot of old plant, not just within the marine industry.



LEARNING POINTS / ACTIONS TAKEN

Highlights the importance of testing and checking all aspects of the lock out process.

Highlights example of an unexpected problem when new elements introduced to lock out procedure.

LOCATION: AGGREGATE DREDGER
ACTIVITY: MAINTENANCE & HOUSEKEEPING
SUB ACTIVITY: N/A

ALERT STATUS: Normal
DATE ISSUED: 01/02/2016 12:49:05
INCIDENT No: 01425