Corporate Supervision Bribery Hospital Treasury Wolf Bulletin

D L RI rL RGGO/ OK

Whilst i lsicaht ir yngioiumeo; liePhemlt iuSshl
p Pmvt mmet vvt di3oloSst odivxamv; ip st hieoaf sl
. t lp t t hilp Pimovst Pahlt diT oesvvt ; ia; t divvilst
umPdaelvPhiP3ePhemlt if PPd; Dkst idt et o; t dip o;
Put molvvf iohioalPT olvvi; op vvf iT oesvvt iPhio
umh; lmh; ; vvf iSvvt ip st hivvip o; iuo; ; t di. l ioiT oesvvt
Ssl vvf iPalilst ip vvh; iPhilst iodxoet hlilmoevDkst
dt et o; t dip o; i; lohdvvf iPhioip Pmvvf iuSsl3PmT iPh
lst i; lolvPhomhi; op vvf iT oesvvt ip svvSilst iPlst m
T oesvvt iuo; ; t dDkst if oui. t lp t t hilst ilp P
uo; ; vvf iT oesvvt ; ip o; iouumPFvv olt Ssi, T T Dkst
dt et o; t diouut omilPisobt iSshli3Pmp omdivvlPilst
uolsiP3lst iPhePT vvf iT oesvvt imh; aSvvf ivvi3oloS
ema; sA,st omst odivxamv; D

ksvvi3oloSoeevvt hlivvir yngivvi; lvvSahdt m
vvbt ; lvvolvPhi. l i• CMD

kst iusPlPf mousi. t SPp i; sPp ; ilst i; op iT oesvvt iPh
lst iS3iohdilst ip vvhiSsl vvf iT oesvvt iPhilst imvvslD
kst ibt mhi; T oSSf oui. t lp t t hilst ilp Piuo; ; vvf
T oesvvt ; ieohieSomSi. t i; t t hD

Stop anyone from working if they don't have the right, well maintained tools/equipment and PPE for the job.

Mixer Position

Mixer Interior

LOCATION:	**READYMIX OR MORTAR PLANT**	**ALERT STATUS:**	**Normal**
ACTIVITY:	**ACCESS & EGRESS & WORKING AT HEIGHT**	**DATE ISSUED:**	**02/03/2011**
SUB ACTIVITY:	**N/A**	**INCIDENT No:**	**00284**