

Entnei rgr vovdhenedrsorpstvotanecn—ndHrts ds nHmf vdf rudvntvHrl Gds uW rtdhppvHrl vtAvvo tappvdF rtGdvf

P NDLrNDRRI OI S

Corfoi fefi d spa ecstfobrfonp cry wvobcawc phntn recl fr s:n wAfsi n l cori cn wvpadr Anum rtsfobrhulcr pjrUacwvacyhapvi ec wdbbcwpei np pp crtsfobrhulcr pn wn ryfcr crthrahr Arclecr pci rthK nucp ccorp cri d spracwhtn rpyycapadr AjrCsd hdbl np crtdsi cp fsv htrp fwrforfi copn acwvpsucfobrfocwvdb pci Tj fwrforfi copn sapwvucfobrfowdci rthra fvcn . acocwvhtn cryhpocp st g a np pr o ucryacwocp i runehr Avthvthocwhathp catpKwucfobrp yyci nucp ccorp cri d spracwhtrecl fr svj

, l fwr orhr r dahorwhK crpycwhtrhowfpcrK hufscrys opfxq L Rvthpycavn oi rK fzcapdr Avjn l cri g a wfor sli cD

- l hr Avrucfobrclecr pci n pl fbl recshr fpm wv crecl fr spracwvsn fp n rafwArthtrp carecl fr swn oi ryci cwvaf owvucfobrvpadr A
- - K bcrrhpracwvdcwvdfobrfort fslcn oi rwdi i cori cts phoi fwopeba phoracwvdfobrfonp crshwvhtnr hopahshtrp crecl fr s:n oi rfpv whrf pci rafwArthtrp cavj

/ I DCOK rR: KOLM&DULK OMLDVI O

, l crthsh. fobrKc wdcwn acwvdbbcwpei n wyacocp pccn oi r rhacr pccn r phowD

- • owdacnp pl a nvp oi fobrvdat r cwvrydhefi ci rhovwvtharecl fr s:n i fobn acrrhKy r pci n oi rufoi ci
- l cfpca pcp crocci rthai fccavvphrefvd s:n l cr Avpacwvthathacfbornulcr pvn wy apthtrp cryacwv apccl fr s:n l cr Av
- • owdacni fccavvdoi cavn oi np pp cmmv hds rohp pn Kypthrcacava yyci rhulcr pvtahK nucp ccorp cfapnacwvudpvl hds rvcCA wvfvv or crthK n yyahya fccvrycrf svpv

CpwhK crwvpcwfxq L ni fccavvK n nncracOdfaci :fowpadr pci rthracK fon fp fonp cfarecl fr s:n uwni dafobrst i fob:doth i fobnrhaci dr cp c fvaAvrthrucfobrvpadr Anumnp carecl fr swhawvdywvthaywn oi r svjn l caethacTj caerK n ncn ni facr pr hotsr nucp ccorp hK ysnfobn fp wvpcradswhoracK fofobrfonp crn un oi nucfobn usnrhrr hoi dr pefvd srl cr Avrthrpacwn oi n l ccsvjrtjK nm svhruci fttfr dspvhrwyhp dhr Avrpa yyci nucp ccorpacwv cycoi fobnrhrr cfayhwvthojrth. cecar hovi ca phorwv hds nucrbfecorhrcowvdfobrp pi fccavv ac . acrthtrp fvyhpocp st g a n oi n acrfowpadr pci rthrdvcrthyyhapofpcwvthfowycr pp cfapnacwv dafobrp cn haAfobri n n l caerwvdp usc oi rv tcn ac wn acn e fs usc n oi r wvpcrads wycak fp oi n l corp cml ecrrhorcaovrp pvfpcr hoi fphowvK nri ecrrforac wci np crava htn rpa yyci rhulcr pucfobryacwvcpj

CvY s0nes4tchppvHsl 3utf

l cKhe shtrpa yyci rahr Avhulcr pvr oncn r g a hdwv wAn n l caerl wyacvhdwvsnuccon orfoi dvpcrnt p spm l caer ni fccavv w Afsi num orczysh fobrvpacn l fsvpn pccKypfobnrhacK hecn rpa yyci rahr A

- l cKhe shtrn rpa yyci rahr Avwv hds nucrr afci rhdpum orczyccacor ci rpnacwvcrf svvj
- cecan a yn rvcfobnrhar l fonucl foi n rvpochrathr Arphrydsstphdpn wvpr oncrhK cn rydhler pccr g a
- padr pda si K bcrrK nri ecrrhr r daci rthtrp crpnacwv c. svvhrpnacwv hds nucrfowycr pci rthai K bcrrhor crp crahr Arha hulcr pfvwv tcsnrcK heci
- • owdacnp pefvd stfowycr phorfvvr afci rhdpfn rys r crhtwv tcpm fp recl fr s:rv fp l ci rhtTj afobrua Acn yysci n oi n l caer ocr cww an yyahya fccvrdfp usn l hr Aci

LEARNING POINTS / ACTIONS TAKEN

It is important to remember a number of key safety issues prior to entering enclosed spaces, such as those commonly found on-board all vessels. As in this instance, due consideration should be given to the nature and use of adjoining spaces and whether bulkhead penetrations or ventilation ducting routed through the space could impact on the outcome of the enclosed space risk assessment. In summary:

- Only enter an enclosed space if there are no other options
- Ensure that the space is properly ventilated
- Have a rescue plan and appropriate rescue equipment available
- Always conduct atmosphere testing prior to entry.

LOCATION: MARINE & SHIP TO SHORE
ACTIVITY: MAINTENANCE & HOUSEKEEPING
SUB ACTIVITY: N/A

ALERT STATUS: Normal
DATE ISSUED: 04/03/2015 10:41:16
INCIDENT No: 00406